

A D Y N A M I C R E F U S E S T O F I G H T

• 动力十足/操作简单/压实平整 •

不服来战

双轮风冷HK-S600C型



手扶双轮柴油机

小型压路机HK-S600C型

操作简单/压实平整



*手工测量，存在误差实属正常，敬请谅解！

速度	0-4km/h（前进后退）	发动机型号	常发/常柴
理论爬坡能力	30°	发动机型号	CF178F/CD180
名义振幅	0.5mm	功率	6hp/7hp
振动频率	70HZ	油箱容积	6L
水箱容积	20L	燃油消耗量	313g/kwh
激振力	20KN	钢轮宽度	600mm×2
驱动	液压站	钢轮直径	450mm
振动	自动离合	包装尺寸	1450×1100×1200mm
启动方式	手拉/电启动	净重量	560kg

更多贴心设计
只为你用的舒心



1 常发发动机
动力更强劲

2 灵活小巧
操作轻松不费力

3 自动离合震动
压实更平整

4 低油耗
省心更省钱

HUAKE

DETAILS

HUAKE

细节之处 贴心为你护航

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE THAT I AM STRONG!
IMPORTED HYDRAULIC TRANSMISSION SYSTEM

本田发动机

动力强劲、性能稳定、使用寿命长，油耗小，易启动

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE THAT I AM STRONG!
IMPORTED HYDRAULIC TRANSMISSION SYSTEM



进口液压传动系统

进口液压传动系统，源自德国的技术，核心技术，值得信赖

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE THAT I AM STRONG!
IMPORTED HYDRAULIC TRANSMISSION SYSTEM

可调节扶手

采用平面齿轮调节结构，
灵活轻便，可适用不同
身高的人操作。

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE
THAT I AM STRONG! IMPORTED HYDRAULIC
TRANSMISSION SYSTEM



控制操作杆

三个档位控制机器前进、
停止、后退；油门控制发动
机动力输出和振动力

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE
THAT I AM STRONG! IMPORTED HYDRAULIC
TRANSMISSION SYSTEM

刮泥板

刮掉钢轮上多余的泥土或者
沥青，确保压路机平稳运行

THE DETAIL PLACE IS INTIMATE ESCORTS FOR YOU! PROVE
THAT I AM STRONG! IMPORTED HYDRAULIC
TRANSMISSION SYSTEM

